# SAFETY DATA SHEET



# 1. Identification

**Product identifier NOVOCOAT™ ER1000 ELASTOMERIC LIQUID PART A (ALL COLORS)** 

Other means of identification None.

Recommended use Not available. **Recommended restrictions** None known.

Manufacturer/Importer/Supplier/Distributor information

**Company Name** ErgonArmor, a division of Ergon Asphalt & Emulsions, Inc.

**Address** 2829 Lakeland Drive Jackson, MS 39232

**USA** 

After hours telephone

number

1-800-222-7122

**Normal work hours** 

telephone number

1-877-982-7667

Website www.ergonarmor.com E-mail sds@ergon.com

**Emergency 24-hour** telephone number

CHEMTREC: North America 1-800-424-9300 International 1-800-527-3887

Information on operation

hours

8:00 a.m. to 5:00 p.m.

# 2. Hazard(s) identification

**Physical hazards** Not classified.

**Health hazards** Skin corrosion/irritation Category 2

> Serious eye damage/eye irritation Category 2 Sensitization, skin Category 1 Germ cell mutagenicity Category 2 Carcinogenicity Category 1 Specific target organ toxicity, repeated Category 1

exposure

**Environmental hazards** Not classified. **OSHA** defined hazards Not classified.

**Label elements** 



Signal word

**Hazard statement** May cause cancer. Causes skin irritation. May cause an allergic skin reaction. Causes serious eye

irritation. Suspected of causing genetic defects. Causes damage to organs through prolonged or

repeated exposure.

**Precautionary statement** 

**Prevention** Obtain special instructions before use. Do not handle until all safety precautions have been read

and understood. Avoid breathing dust/fume/gas/mist/vapors/spray. Do not eat, drink or smoke when using this product. Contaminated work clothing must not be allowed out of the workplace. Wear protective gloves/protective clothing/eye protection/face protection. Wash thoroughly after

handling.

Specific treatment see Section 4 of this SDS. IF ON SKIN: Wash with plenty of soap and water. IF Response

IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical

advice/attention. Take off contaminated clothing and wash before reuse.

Storage Store locked up.

**Disposal** Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard(s) not otherwise classified (HNOC)

None known.

**Supplemental information** 

Not applicable.

## 3. Composition/information on ingredients

# **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
BISPHENOL A-(EPICHLOROHYDRIN) EPOXY RESIN		25068-38-6	40 - 50
QUARTZ		14808-60-7	5 - 15
CASHEW, NUTSHELL LIQ., GLYCIDYL ETHERS		171263-25-5	1 - 10
PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER		28064-14-4	1 - 10
PROPRIETARY INGREDIENTS		N/A	< 2
DOLOMITE		16389-88-1	< 0.1
MAGNESIUM CARBONATE		546-93-0	< 0.1
Other components below reportable	levels		50.51

# 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists. Wash

contaminated clothing before reuse.

Eye contact Rinse with water. Continue to rinse for at least 15 minutes. Get medical attention if irritation

persists after washing.

**Ingestion** Rinse mouth. Do not induce vomiting. If vomiting occurs, the head should be kept low so that

Direct contact with eyes may cause temporary irritation.

stomach vomit doesn't enter the lungs. Call a POISON CENTER or doctor/physician if you feel

unwell.

Most important

symptoms/effects, acute and

delayed

**Indication of immediate** medical attention and special

treatment needed

**General information** 

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

### 5. Fire-fighting measures

Suitable extinguishing media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Do not use water jet as an extinguisher, as this will spread the fire.

Unsuitable extinguishing media

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

**Special protective equipment** 

and precautions for

firefighters

**Specific methods** 

Move containers from fire area if you can do so without risk.

Fire fighting equipment/instructions

Use standard firefighting procedures and consider the hazards of other involved materials.

#### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up This material is classified as a water pollutant under the Clean Water Act and should be prevented from contaminating soil or from entering sewage and drainage systems which lead to waterways.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Cover with plastic sheet to prevent spreading. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use.

**Environmental precautions** 

Avoid discharge into drains, water courses or onto the ground.

## 7. Handling and storage

**Precautions for safe handling** 

Avoid prolonged exposure. Observe good industrial hygiene practices.

Conditions for safe storage, including any incompatibilities

Store in original tightly closed container.

# 8. Exposure controls/personal protection

### Occupational exposure limits

Eye/face protection

Components	Туре	Value	Form	
MAGNESIUM CARBONATE (CAS 546-93-0)	PEL	5 mg/m3	Respirable fraction.	
		15 mg/m3	Total dust.	
QUARTZ (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.	
US. OSHA Table Z-3 (29 C	FR 1910.1000)			
Components	Туре	Value	Form	
DOLOMITE (CAS 16389-88-1)	TWA	5 mg/m3	Respirable fraction.	
		15 mg/m3	Total dust.	
		50 mppcf	Total dust.	
		15 mppcf	Respirable fraction.	
QUARTZ (CAS 14808-60-7)	TWA	0.1 mg/m3	Respirable.	
		2.4 mppcf	Respirable.	
US. ACGIH Threshold Limi	t Values			
Components	Туре	Value	Form	
QUARTZ (CAS 14808-60-7)	TWA	0.025 mg/m3	Respirable fraction.	
US. NIOSH: Pocket Guide	to Chemical Hazards			
Components	Туре	Value	Form	
MAGNESIUM CARBONATE (CAS 546-93-0)	TWA	5 mg/m3	Respirable.	
		10 mg/m3	Total	
QUARTZ (CAS 14808-60-7)	TWA	0.05 mg/m3	Respirable dust.	
ogical limit values	No biological exposure limits noted for the ingredient(s).			
ropriate engineering rols	Provide adequate ventilation, including a occupational exposure limit is not exceed	ppropriate local extraction,	to ensure that the define	

Wear safety glasses; chemical goggles (if splashing is possible).

Skin protection

**Hand protection** Chemical resistant gloves are recommended. If contact with forearms is likely wear gauntlet style

gloves.

Other Wear suitable protective clothing.

Respiratory protection If engineering controls do not maintain airborne concentrations below recommended exposure

limits (where applicable) or to an acceptable level (in countries where exposure limits have not

been established), an approved respirator must be worn.

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

**General hygiene** Always observe good personal hygiene measures, such as washing after handling the material and considerations before eating, drinking, and/or smoking. Routinely wash work clothing and protective equipment to

remove contaminants.

## 9. Physical and chemical properties

**Appearance** 

**Physical state** Liquid. **Form** Liquid. Color Not available. Odor Not available. **Odor threshold** Not available. Not available.

Initial boiling point and

Melting point/freezing point

boiling range

212 °F (100 °C) estimated

Flash point > 250.0 °F (> 121.1 °C) estimated

**Evaporation rate** Not available. Flammability (solid, gas) Not available. Upper/lower flammability or explosive limits Flammability limit - lower Not available.

(%)

Not available.

Flammability limit -

upper (%)

Not available.

**Explosive limit - lower** 

(%)

Not available.

Not available.

**Explosive limit - upper** 

(%)

Vapor pressure 234.57 hPa estimated

Not available. Vapor density **Relative density** Not available.

Solubility(ies)

Solubility (water) Not available. **Partition coefficient** Not available.

(n-octanol/water)

**Auto-ignition temperature** Not available. Not available. **Decomposition temperature Viscosity** Not available.

Other information

11.64 lb/gal estimated **Density** 

Specific gravity 1.39 estimated

# 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport

**Chemical stability** Material is stable under normal conditions. Possibility of hazardous Hazardous polymerization does not occur.

reactions

Conditions to avoid Avoid temperatures exceeding the flash point. Contact with incompatible materials.

**Incompatible materials** Strong oxidizing agents.

**Hazardous decomposition** 

products

No hazardous decomposition products are known.

# 11. Toxicological information

### Information on likely routes of exposure

**Inhalation** May be harmful if inhaled.

Skin contact May cause an allergic skin reaction. Causes skin irritation.

Eye contact Causes serious eye irritation. Ingestion May be harmful if swallowed.

Symptoms related to the physical, chemical and toxicological characteristics Direct contact with eyes may cause temporary irritation.

### Information on toxicological effects

Not available. **Acute toxicity** 

Causes skin irritation. Skin corrosion/irritation Serious eye damage/eye Causes serious eye irritation.

irritation

Respiratory or skin sensitization

**Respiratory sensitization** Not available.

Skin sensitization May cause allergic skin disorders in sensitive individuals.

Germ cell mutagenicity Suspected of causing genetic defects.

Carcinogenicity May cause cancer.

### IARC Monographs. Overall Evaluation of Carcinogenicity

QUARTZ (CAS 14808-60-7) 1 Carcinogenic to humans.

### OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

QUARTZ (CAS 14808-60-7)

### US. National Toxicology Program (NTP) Report on Carcinogens

QUARTZ (CAS 14808-60-7) Known To Be Human Carcinogen.

Reproductive toxicity This product is not expected to cause reproductive or developmental effects

Specific target organ toxicity

single exposure

Not classified.

Specific target organ toxicity

Causes damage to the following organs through prolonged or repeated exposure: Skin. Blood.

- repeated exposure

Kidnevs, Lunas,

**Aspiration hazard** Not available.

### 12. Ecological information

**Ecotoxicity** The product contains a substance which is toxic to aquatic organisms

Product	Species		Test Results
NOVOCOAT™ ER1000	ELASTOMERIC LIC	QUID PART A (ALL COLORS)	
Aquatic			
Crustacea	EC50	Daphnia	6.1299 mg/l, 48 hours estimated
Fish	LC50	Fish	3.4057 mg/l, 96 hours estimated
Components		Species	Test Results

PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER (CAS 28064-14-4)

**Aquatic** Acute

Fish LC50 Fish 1 - 10 mg/l

Persistence and degradability No data is available on the degradability of this product.

**Bioaccumulative potential** No data available.

<sup>\*</sup> Estimates for product may be based on additional component data not shown.

Mobility in soilNo data available.Other adverse effectsNot known.

## 13. Disposal considerations

**Disposal instructions** When this product as supplied is to be discarded as waste, it does not meet the definition of a

RCRA waste under 40 CFR 261.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code

The waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Waste from residues /

unused products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal

instructions).

**Contaminated packaging** Empty containers should be taken to an approved waste handling site for recycling or disposal.

Since emptied containers may retain product residue, follow label warnings even after container is

emptied.

# 14. Transport information

#### DOT

Not regulated as dangerous goods.

#### **IATA**

Not regulated as dangerous goods.

#### **IMDG**

UN number UN3082

UN proper shipping name ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (BISPHENOL

A-(EPICHLOROHYDRIN) EPOXY RESIN, PHENOL-FORMALDEHYDE POLYMER GLYCIDYL ETHER),

MARINE POLLUTANT

Transport hazard class(es)

Class 9
Subsidiary risk Packing group III

**Environmental hazards** 


Marine pollutant Yes
EmS F-A, S-F
Special precautions for Not available.

user

Transport in bulk according to Not available.

Annex II of MARPOL 73/78 and the IBC Code

IMDG



### **Marine pollutant**



Material name: NOVOCOAT™ ER1000 ELASTOMERIC LIQUID PART A (ALL COLORS) 6410 Version #: 02 Revision date: 10-25-2021 Issue date: 06-15-2020

### 15. Regulatory information

US federal regulations

All components are on the U.S. EPA TSCA Inventory List.

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1052)

QUARTZ (CAS 14808-60-7)

Cancer lung effects

immune system effects

kidney effects

### Superfund Amendments and Reauthorization Act of 1986 (SARA)

**SARA 302 Extremely hazardous substance** 

Not listed.

**SARA 311/312** Yes

**Hazardous chemical** 

**Classified hazard** Skin corrosion or irritation

**categories** Serious eye damage or eye irritation

Respiratory or skin sensitization

Germ cell mutagenicity

Carcinogenicity

Specific target organ toxicity (single or repeated exposure)

SARA 313 (TRI reporting)

Not regulated.

# Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Not regulated.

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

**Safe Drinking Water Act** 

Not regulated.

(SDWA)

#### **US state regulations**

## **California Proposition 65**



WARNING: WARNING: This product contains a chemical known to the State of California to cause cancer.

### California Proposition 65 - CRT: Listed date/Carcinogenic substance

OUARTZ (CAS 14808-60-7) Listed: October 1, 1988

US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a))

DOLOMITE (CAS 16389-88-1)

MAGNESIUM CARBONATE (CAS 546-93-0)

QUARTZ (CAS 14808-60-7)

#### **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Chemical Substances (AICS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No

Country(s) or regionInventory nameOn inventory (yes/no)\*JapanInventory of Existing and New Chemical Substances (ENCS)YesKoreaExisting Chemicals List (ECL)YesNew ZealandNew Zealand InventoryYesPhilippinesPhilippine Inventory of Chemicals and Chemical SubstancesYes

(PICCS)

Taiwan Chemical Substance Inventory (TCSI)

United States & Puerto Rico

Toxic Substances Control Act (TSCA) Inventory

Yes

## 16. Other information, including date of preparation or last revision

 Issue date
 06-15-2020

 Revision date
 10-25-2021

Version # 02

NFPA ratings Health: 2

Flammability: 1 Instability: 0

**Disclaimer** The information provided in this Safety Data Sheet is correct to the best of our knowledge

information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other

materials or in any process, unless specified in the text.

**Revision information** Product and Company Identification: Alternate Trade Names

Composition / Information on Ingredients: Disclosure Overrides

Physical & Chemical Properties: Multiple Properties

**GHS: Classification** 

Material name: NOVOCOAT™ ER1000 ELASTOMERIC LIQUID PART A (ALL COLORS) 6410 Version #: 02 Revision date: 10-25-2021 Issue date: 06-15-2020

<sup>\*</sup>A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s)
A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).